# SAFETY DATA SHEET



## 1. Identification

Product identifier	Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus		
Other means of identification	None.		
Recommended use	Pavement Joint Sealant		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Suppl	lier/Distributor information		
Manufacturer:	Crafco, Inc.		
Address:	6165 West Detroit St.		
	Chandler, AZ 85226 USA		
Contact Name:	Jim Chehovits		
Telephone:	602-276-0406		
E-mail:	jim.chehovits@crafco.com		
CHEMTREC:	800-424-9300 (North America)		
	+ 1-703-527-3887 (International)		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Reproductive toxicity Category 2		
Environmental hazards	Hazardous to the aquatic environment, acute Category 2 hazard		
Label elements			
Signal word	Warning		
Hazard statement	Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		

Other hazards None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Polydimethylsiloxane		9016-00-6	15 - 40
Toluene		108-88-3	0 - 2
Other components below rep	portable levels		78.68

See section 13 of this SDS for disposal instructions.

Material name: Crafco Roadsaver Silicone NS Sealant, Roadsaver Silicone SL, Roadsaver Silicone SL Ultra-Low Modulus 5012 Version #: 01 Issue date: 01-11-2019

### 4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.		
Skin contact	IF ON SKIN: Gently wash with plenty of soap and water. If irritation persists get medical attention.		
Eye contact	Immediately rinse with water for several minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.		
Most important symptoms/effects, acute and delayed	Not available.		
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.		
General information	If you feel unwell, seek medical advice (show the label where possible). Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use.		

## 5. Fire-fighting measures

Suitable extinguishing media	Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.		
Specific hazards arising from the chemical	Irritating, corrosive and/or toxic gases or fumes will be released during a fire.		
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.		
Specific methods	In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers.		
General fire hazards	No unusual fire or explosion hazards noted.		

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Eliminate sources of ignition. Dike far ahead of spill for later disposal. Following product recovery, flush area with water.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment.

# 7. Handling and storage

Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing. Do not ingest. Wash hands after handling and before eating. When using, do not eat, drink or smoke. Avoid contact during pregnancy/while nursing. Avoid release to the environment.
Conditions for safe storage, including any incompatibilities	Store in a cool and well-ventilated place. Keep away from heat and sources of ignition. Keep out of the reach of children. Keep container tightly closed.

# 8. Exposure controls/personal protection

Components	mit Values	Туре	Value		
TOLUENE (CAS 108-88-3)		TWA		ppm	
Canada. Alberta OELs (C Components	Occupational H	ealth & Safety Code, Sc Type	-	2) lue	
TOLUENE (CAS 108-88-3)		TWA		3 mg/m3	
			50	50 ppm	
Canada. British Columbi	a OELs. (Occu	pational Exposure Limit	s for Chemical	Substances, Occupational Health a	
Safety Regulation 296/9 Components	97, as amende	•	Va	luo.	
		Type TWA		Value 20 ppm	
TOLUENE (CAS 108-88-3)					
Canada. Manitoba OELs Components	(Reg. 217/20)	D6, The Workplace Safe Type	-	lue	
TOLUENE (CAS 108-88-3)		TWA	20	ppm	
Canada. Ontario OELs. ( Components	Control of Exp	osure to Biological or Cl Type	_	) lue	
TOLUENE (CAS 108-88-3)		TWA	20	ppm	
Canada. Quebec OELs. ( Components	Ministry of Lal	oor - Regulation respect Type		al health and safety) lue	
TOLUENE (CAS 108-88-3)		TWA	188	3 mg/m3	
, , , , , , , , , , , , , , , , , , ,				50 ppm	
Canada. Saskatchewan ( Components	OELs (Occupat	ional Health and Safety Type		996, Table 21) lue	
TOLUENE (CAS 108-88-3)	TOLUENE (CAS 108-88-3)		60	ppm	
			50	50 ppm	
logical limit values					
ACGIH Biological Expose Components	ure Indices Value	Determinant	Specimen	Sampling Time	
		<b>Determinant</b> o-Cresol, with hydrolysis	Specimen Creatinine in urine	Sampling Time *	
Components	Value	o-Cresol, with	Creatinine in		
Components	Value 0.3 mg/g	o-Cresol, with hydrolysis	Creatinine in urine	*	
Components	Value           0.3 mg/g           0.03 mg/l           0.02 mg/l	o-Cresol, with hydrolysis Toluene Toluene	Creatinine in urine Urine	*	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple	Value           0.3 mg/g           0.03 mg/l           0.02 mg/l	o-Cresol, with hydrolysis Toluene Toluene	Creatinine in urine Urine	*	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple posure guidelines Canada - Alberta OELs: S	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation	o-Cresol, with hydrolysis Toluene Toluene irce document.	Creatinine in urine Urine Blood	* * * *	
Components TOLUENE (CAS 108-88-3) * - For sampling details, pla posure guidelines Canada - Alberta OELs: S Toluene (CAS 108-88-3	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation	o-Cresol, with hydrolysis Toluene Toluene irce document. on	Creatinine in urine Urine	* * * *	
Components TOLUENE (CAS 108-88-3) * - For sampling details, planes cosure guidelines Canada - Alberta OELs: S Toluene (CAS 108-88-3 Canada - Quebec OELs: S	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation 3) Skin designation	o-Cresol, with hydrolysis Toluene Toluene urce document. on Can be	Creatinine in urine Urine Blood	* * * ph the skin.	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple posure guidelines Canada - Alberta OELs: S Toluene (CAS 108-88-3	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation Skin designation 3)	o-Cresol, with hydrolysis Toluene Toluene irce document. on Can be Can be	Creatinine in urine Urine Blood	* * * ph the skin.	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple posure guidelines Canada - Alberta OELs: Toluene (CAS 108-88-3 Canada - Quebec OELs: Toluene (CAS 108-88-3	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation 3) Skin designation 3) OELs: Skin designation 3)	o-Cresol, with hydrolysis Toluene Toluene arce document. Can be can be signation	Creatinine in urine Urine Blood	* * * gh the skin. gh the skin.	
Components TOLUENE (CAS 108-88-3) * - For sampling details, planes posure guidelines Canada - Alberta OELs: 9 Toluene (CAS 108-88-3 Canada - Quebec OELs: 9 Toluene (CAS 108-88-3 Canada - Saskatchewan Toluene (CAS 108-88-3 propriate engineering	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation Skin designation OELs: Skin designation 3)	o-Cresol, with hydrolysis Toluene Toluene arce document. Can be can be signation	Creatinine in urine Urine Blood absorbed throug absorbed throug	* * * gh the skin. gh the skin.	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple posure guidelines Canada - Alberta OELs: S Toluene (CAS 108-88-3 Canada - Quebec OELs: S Toluene (CAS 108-88-3 Canada - Saskatchewan Toluene (CAS 108-88-3 propriate engineering trols dividual protection measu	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation Skin designation OELs: Skin dec Provide adec adec adec adec addresses and addresses and addresses and addresses and addresses and address and a	o-Cresol, with hydrolysis Toluene Toluene irce document. Can be signation Can be can be ersonal protective equip	Creatinine in urine Urine Blood absorbed throug absorbed throug absorbed throug r vapors are ger	* * * gh the skin. gh the skin.	
Components TOLUENE (CAS 108-88-3) * - For sampling details, ple posure guidelines Canada - Alberta OELs: S Toluene (CAS 108-88-3 Canada - Quebec OELs: S Toluene (CAS 108-88-3 Canada - Saskatchewan Toluene (CAS 108-88-3 propriate engineering trols	Value 0.3 mg/g 0.03 mg/l 0.02 mg/l ease see the sou Skin designation Skin designation OELs: Skin dec Provide adec adec adec adec addresses and addresses and addresses and addresses and addresses and address and a	o-Cresol, with hydrolysis Toluene Toluene arce document. Can be con Can be signation Can be	Creatinine in urine Urine Blood absorbed throug absorbed throug absorbed throug r vapors are ger	* * * gh the skin. gh the skin.	

Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In the case of respirable dust and/or fumes, use self-contained breathing apparatus. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
General hygiene considerations	When using, do not eat, drink or smoke. Use good industrial hygiene practices in handling this material. Wash hands before breaks and immediately after handling the product.		

# 9. Physical and chemical properties

J. Physical and chemical	properties
Appearance	Paste.
Physical state	Liquid.
Form	Paste.
Color	Grey.
Odor	Slight.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	< 150 °F (< 65.56 °C)
Flash point	> 392.0 °F (> 200.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 700 °F (> 371.11 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	< 5 %
Specific gravity	1 - 1.5

## **10. Stability and reactivity**

Reactivity Chemical stability Possibility of hazardous reactions	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions. Stable under normal temperature conditions. Hazardous polymerization does not occur.		
Conditions to avoid	Heat, flames and sparks. Avoid high temperatures. Temperatures above 100 °C		
Incompatible materials	Strong acids, alkalies and oxidizing agents.		
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Toxic gas.		

# **11.** Toxicological information

### Information on likely routes of exposure

Inhalation	Health injuries are not known or expected under normal use.		
Skin contact	Causes mild skin irritation.		
Eye contact	May be irritating to eyes.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route occupational exposure.		
Symptoms related to the	Not available.		

#### physical, chemical and toxicological characteristics

#### Information on toxicological effects

Acute toxicity	Not classified.			
Components	Species	Test Results		
Toluene (CAS 108-88-3)				
Acute				
Dermal				
LD50	Rabbit	12120 mg/kg		
Oral				
LD50	Rat	2.6 g/kg		
* Estimates for product may	be based on additional co	mponent data not shown.		
Skin corrosion/irritation	Causes mild skin irritati	on. Not classified.		
Serious eye damage/eye irritation	Not available.	Not available.		
Respiratory or skin sensitizat	ion			
Respiratory sensitization	Not available.			
Skin sensitization	Not available.			
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not con	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
ACGIH Carcinogens				
Toluene (CAS 108-88-3) Canada - Manitoba OELs:		A4 Not classifiable as a human carcinogen.		
Toluene (CAS 108-88-3)	)	Not classifiable as a human carcinogen.		
IARC Monographs. Overa	II Evaluation of Carcino	genicity		
Toluene (CAS 108-88-3)		3 Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	Suspected of damaging	fertility or the unborn child.		
Specific target organ toxicity - single exposure	Not available.			
Specific target organ toxicity - repeated exposure	Not available.			
Aspiration hazard	Not available.			
Chronic effects	Not relevant at normal room temperatures. When heated, harmful vapors may be formed.			

# **12. Ecological information**

cotoxicity	Contains a substance which causes risk of hazardous effects to the environment.			
Product	Species		Test Results	
Crafco Roadsaver Silic Aquatic	cone NS Sealant, Ro	adsaver Silicone SL, Roadsaver Silicone S	SL Ultra-Low Modulus	
Crustacea	EC50	Water flea (Daphnia magna)	5.46 - 9.83 mg/l, 48 hr	
Fish	LC50	Coho salmon,silver salmon (Oncorhynchus kisutch)	5.5 mg/l, 96 hr	

Components		Species	Test Results
Polydimethylsiloxane (CAS	9016-00-6)		
Aquatic			
Fish	LC50	Channel catfish (Ictalurus punctatus)	2.36 - 4.15 mg/l, 96 hours
Toluene (CAS 108-88-3)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	5.46 - 9.83 mg/l, 48 hours
Fish	LC50	Coho salmon,silver salmon (Oncorhynchus kisutch)	8.11 mg/l, 96 hours
* Estimates for product ma	y be based on add	ditional component data not shown.	
sistence and degradabili	ty Not available		
accumulative potential	Not available		
Partition coefficient n-o	ctanol / water (	(log Kow)	

2.73

Partition coefficient n-octanol / water (log Kow)	
Toluene	
Mobility in soil	Not available.
Other adverse effects	Not available.

#### 13. Disposal considerations

Disposal instructions	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not dispose of waste into sewer. Do not allow this material to drain into sewers/water supplies. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Offer rinsed packaging material to local recycling facilities.

### 14. Transport information

#### TDG

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

#### **Canadian regulations**

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

#### **Controlled Drugs and Substances Act**

Not regulated.	
Export Control List (CEPA 1999, Schedule	e 3)
Not listed.	
Greenhouse Gases	
Not listed.	
Ontario. Toxic Substances. Toxic Reducti	on Act, 2009. Regulation 455/09 (July 1, 2011)
Toluene (CAS 108-88-3)	
Precursor Control Regulations	
Toluene (CAS 108-88-3)	Class B

#### **International regulations**

#### **Stockholm Convention**

Not applicable.

**Rotterdam Convention** 

Not applicable.

Kyoto protocol

Not applicable. Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

#### **International Inventories**

The product is classified and labelled in accordance with EC directives or respective national laws This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Country(s) or region	-	inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information

Issue date Version # Further information	01-11-2019 01 HMIS® is a registered trade and service mark of the NPCA.
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **Revision information**

Product and Company Identification: Synonyms Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Ecological Information: Ecotoxicity Transport Information: Proper Shipping Name/Packing Group Regulatory Information: United States HazReg Data: International Inventories GHS: Classification